UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

NOTICE OF ALLOWANCE AND FEE(S) DUE

48980 7590 06/13/2011 YOUNG BASILE 3001 WEST BIG BEAVER ROAD SUITE 624 TROY. MI 48084 EXAMINER CULLEN, SEAN P

ART UNIT PAPER NUMBER

DATE MAILED: 06/13/2011

 APELICATION NO.
 FILINO DATE
 FIRST NAMED INVENTOR
 ATTORNEY DOCKET NO.
 CONFIRMATION NO.

 10/573.462
 03/24/2006
 Takuya Kinoshita
 NNA-241-B
 2578

TITLE OF INVENTION: BIPOLAR BATTERY CELL AND ASSEMBLED BATTERY FOR A VEHICLE

APPLN. TYPE	SMALL ENTITY	ISSUE FEE DUE	PUBLICATION FEE DUE	PREV. PAID ISSUE FEE	TOTAL FEE(S) DUE	DATE DUE
nonprovisional	NO	\$1510	\$300	\$0	\$1810	09/13/2011

THE APPLICATION IDENTIFIED ABOVE HAS BEEN EXAMINED AND IS ALLOWED FOR ISSUANCE AS A PATENT. PROSECUTION ON THE MERITS IS CLOSED. THIS NOTICE OF ALLOWANCE IS NOT A GRANT OF PATENT RIGHTS. THIS APPLICATION IS SUBJECT TO WITHDRAWAL FROM ISSUE AT THE INITIATIVE OF THE OFFICE OR UPON PETITION BY THE APPLICANT. SEE 37 CFR 1.313 AND MPEP 1308.

THE ISSUE FEE AND PUBLICATION FEE (IF REQUIRED) MUST BE PAID WITHIN THREE MONTHS FROM THE MAILING DATE OF THIS NOTICE OR THIS APPLICATION SHALL BE REGARDED AS ABANDONED. THIS STATUTORY PERIOD CANNOT BE EXTENDED. SEE 35 U.S.C. 151. THE ISSUE FEE DUE INDICATED ABOVE DOES NOT REFLECT A CREDIT FOR ANY PREVIOUSLY PAID ISSUE FEE IN THIS APPLICATION. IF AN ISSUE FEE HAS PREVIOUSLY BEEN PAID IN THIS APPLICATION (AS SHOWN ABOVE), THE RETURN OF PART B OF THIS FORM WILL BE CONSIDERED A REQUEST TO REAPPLY THE PREVIOUSLY PAID ISSUE FEE TOWARD THE ISSUE FEE NOW DUE.

HOW TO REPLY TO THIS NOTICE:

I. Review the SMALL ENTITY status shown above.

If the SMALL ENTITY is shown as YES, verify your current SMALL ENTITY status:

A. If the status is the same, pay the TOTAL FEE(S) DUE shown above.

B. If the status above is to be removed, check box 5b on Part B - Fee(s) Transmittal and pay the PUBLICATION FEE (if required) and twice the amount of the ISSUE FEE shown above, or

If the SMALL ENTITY is shown as NO:

A. Pay TOTAL FEE(S) DUE shown above, or

B. If applicant claimed SMALL ENTITY status before, or is now claiming SMALL ENTITY status, check box 5a on Part B - Fee(s) Transmittal and pay the PUBLICATION FEE (if required) and 1/2 the ISSUE FEE shown above.

IL PART B - FEE(S) TRANSMITTAL, or its equivalent, must be completed and returned to the United States Patent and Trademark Office (USPTO) with your ISSUE FEE and PUBLICATION FEE (if required). If you are charging the fee(s) to your deposit account, section "4b" of Part B - Fee(s) Transmittal should be completed and an extra copy of the form should be submitted. If an equivalent of Part B is filed, a request to reapply a previously paid issue fee must be clearly made, and delays in processing may occur due to the difficulty in recognizing the paper as an equivalent of Part B.

III. All communications regarding this application must give the application number. Please direct all communications prior to issuance to Mail Stop ISSUE FEE unless advised to the contrary.

IMPORTANT REMINDER: Utility patents issuing on applications filed on or after Dec. 12, 1980 may require payment of maintenance fees. It is patentee's responsibility to ensure timely payment of maintenance fees when due.

PART B - FEE(S) TRANSMITTAL

Complete and send this form, together with applicable fee(s), to: Mail Mail Stop ISSUE FEE Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

or Fax (571)-273-2885

INSTRUCTIONS: This form should be used for transmitting the ISSUE FEE and PUBLICATION FEE (if required). Blocks 1 through 5 should be completed where appropriate. All further correspondence includings the Patent, advance orders and notification of manitenance fees will be mailed to the current correspondence address as indicated unless corrected below or directed otherwise in Block 1, by (a) specifying a new correspondence address; and/or (b) indicating a separate "FEE ADDRESS" for maintenance fee notifications CURRENT CORRESPONDENCE ADDRESS (Note: Use Block 1 for any change of address) Note: A certificate of mailing can only be used for domestic mailings of the

YOUNG BAS 3001 WEST BIG SUITE 624 TROY, MI 4808	ILE G BEAVER ROAD	92011	paps have	Fee(s) Transmittal. This certificate cannot be used for any other accompanying papers. Each additional paper, such as an assignment of formal drawing, mus have its own certificate of multing or transmission. Certificate of Mailing or Transmission with the certificate of Mailing or Transmission the nerby certify that this Fee(s) Transmittal is being deposited with the United States Postal Service with authician postage for first class mail in an envelope transmitted to the USP10 (57) 227-2888, on the due indicated below.			
			L			(Depositor's name)	
			<u> </u>			(Signature)	
						(Date)	
APPLICATION NO.	FILING DATE		FIRST NAMED INVENTOR	A	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/573,462	03/24/2006		Takuya Kinoshita		NNA-241-B	2578	
APPLN, TYPE	SMALL ENTITY	ISSUE FEE DUE	PUBLICATION FEE DUE	PREV. PAID ISSUE F	TEE TOTAL FEE(S) DUE	DATE DUE	
nonprovisional	NO	\$1510	\$300	\$0	\$1810	09/13/2011	
EXAMINER		ART UNIT	CLASS-SUBCLASS				
CULLEN, SEAN P		1725	429-210000				
"Fee Address" ind	ondence address (or Cha B/122) attached. ication (or "Fee Address)2 or more recent) attach	inge of Correspondence	2. For printing on the patent front page, list (1) the names of up to 3 registered patent attorneys or agents OR, alternatively, (2) the name of a single firm (having as a member a registered attorney or agent) and the names of up to 2 registered patent attorneys or agents. If no name is stred, no name wilb per printed.				
			THE PATENT (print or typ				
recordation as set fort	h in 37 CFR 3.11. Com	ified below, no assignee pletion of this form is NO	T a substitute for filing an	assignment.		ocument has been filed for	
(A) NAME OF ASSIGNEE			(B) RESIDENCE: (CITY and STATE OR COUNTRY)				

(A) NAME OF ASSIGNEE

4a. The following fee(s) are submitted: Issue Fee Publication Fee (No small entity discount permitted) Advance Order - # of Copies	4b. Payment of Fee(s): (Please first reapply any previously paid issue fee shown above) A check is enclosed. Payment by credit card. Form PTO-2038 is attached. The Director is hereby authorized to charge the required fee(s), any deficiency, or credit any overpayment, to Depoid Account Number (enclose an extra copy) of this form).
5. Change in Entity Status (from status indicated above)	
a. Applicant claims SMALL ENTITY status. See 37 CFR 1.27.	□ b. Applicant is no longer claiming SMALL ENTITY status. See 37 CFR 1.27(g)(2).
NOTE: The Issue Fee and Publication Fee (if required) will not be accommodate as shown by the records of the United States Patent and Traden	epted from anyone other than the applicant; a registered attorney or agent; or the assignee or other party in nark Office.
Authorized Signature	Date
Typed or printed name	Registration No.
an application. Confidentiality is governed by 35 U.S.C. 122 and 37 C submitting the completed application form to the USPTO. Time will this form and/or successions for reducing this burden, should be sent to	nation is required to obtain or retain a benefit by the public which is to file (and by the USPTO) to process FRE 11.4 This collection is estimated to take 12 minutes to complete, including againsting, preparing, and every depending upon the individual case. Any comments on the amount of time you require to complete, including againsting, processing to the complete of the processing of

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Please check the appropriate assignee category or categories (will not be printed on the patent):



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virgina 22313-1450

APPLICATION NO. FILING DATE FIRST NAMED INVENTOR ATTORNEY DOCKET NO. CONFIRMATION NO. 10/573,462 03/24/2006 Takuva Kinoshita NNA-241-B 2578 48980 06/13/2011 YOUNG BASILE CULLEN, SEAN P 3001 WEST BIG BEAVER ROAD ART UNIT SUITE 624 TROY, MI 48084

1725 DATE MAILED: 06/13/2011

Determination of Patent Term Adjustment under 35 U.S.C. 154 (b)

(application filed on or after May 29, 2000)

The Patent Term Adjustment to date is 414 day(s). If the issue fee is paid on the date that is three months after the mailing date of this notice and the patent issues on the Tuesday before the date that is 28 weeks (six and a half months) after the mailing date of this notice, the Patent Term Adjustment will be 414 day(s).

If a Continued Prosecution Application (CPA) was filed in the above-identified application, the filing date that determines Patent Term Adjustment is the filing date of the most recent CPA.

Applicant will be able to obtain more detailed information by accessing the Patent Application Information Retrieval (PAIR) WEB site (http://pair.uspto.gov).

Any questions regarding the Patent Term Extension or Adjustment determination should be directed to the Office of Patent Legal Administration at (571)-272-7702. Questions relating to issue and publication fee payments should be directed to the Customer Service Center of the Office of Patent Publication at 1-(888)-786-0101 or (571)-272-4200.

Privacy Act Statement

The Privacy Act of 1974 (P.L. 93-579) requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

- The information on this form will be treated confidentially to the extent allowed under the Freedom
 of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C 552a). Records from this system of
 records may be disclosed to the Department of Justice to determine whether disclosure of these
 records is required by the Freedom of Information Act.
- A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement neeotiations.
- 3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
- 4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
- 5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
- A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
- 7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2004 and 2006. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals
- 8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspection or an issued patent.
- A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

-- Into MAILING DATE of this communication appears on the cover sheet with the correspondence address-All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application this application that part of the course. THIS
NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative
of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

- 1.
 ☐ This communication is responsive to the communication filed on 13 April 2011.
- The allowed claim(s) is/are 1,3-15,17,18 and 21-24.
- 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a)

 All b)

 Some* c)

 None of the:
 - 1. A Certified copies of the priority documents have been received.
 - 2. Certified copies of the priority documents have been received in Application No. _____
 - Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

- A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
- 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) I including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date _____
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying Indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).

 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- 1. Notice of References Cited (PTO-892)
- 2. Notice of Draftperson's Patent Drawing Review (PTO-948)
- Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 04/13/2011
- Examiner's Comment Regarding Requirement for Deposit of Biological Material
- 5. Notice of Informal Patent Application
- Interview Summary (PTO-413), Paper No./Mail Date .
- 7. X Examiner's Amendment/Comment
- 8. X Examiner's Statement of Reasons for Allowance

/Basia Ridley/

Supervisory Patent Examiner, Art Unit 1725

Application/Control Number: 10/573,462 Page 2

Art Unit: 1725

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or
additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR
 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the
payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Francine B. Nesti on June 7, 2011.

The application has been amended as follows:

IN THE CLAIMS:

- 1. A bipolar battery cell comprising:
- a plurality of electric cells, each electric cell comprising:
- a bipolar electrode including a collector having a positive-electrode layer on one surface and a negative-electrode layer on an opposing surface;
- an electrolyte layer that exchanges ions between the positive-electrode layer and the-negative-electrode layer;
- a discharge circuit printed in the electrolyte layer within each electric cell, the discharge circuit configured-within each bipolar electrode to electrically balance charge conditions of adjacent electric cells;
- a first pair of conductive bodies located in the electrolyte layer, wherein one <u>body</u> of the first pair is in contact with one side of the discharge circuit and another <u>body</u> of the first pair is in contact with an opposing side of the discharge circuit; and

Application/Control Number: 10/573,462 Page 3

Art Unit: 1725

a second pair of conductive bodies, wherein one <u>body</u> of the second pair of conductive bodies is in the negative-electrode layer and another <u>body</u> of the second pair is in the <u>positive-electrode</u> layer such that each <u>body</u> of the second pair of conductive bodies is vertically aligned with a different-one <u>body</u> of the first pair of conductive bodies when the negative-electrode layer, the electrolyte layer and the positive-electrode layer are stacked.

13. An assembled battery comprising a plurality of bipolar battery cells, wherein each bipolar cell comprises a plurality of electric cells, each cell comprising:

a laminated bipolar electrode including a collector having a positive-electrode layer on one surface and a negative-electrode layer on an opposing surface;

an electrolyte layer that exchanges ions between the positive-electrode layer and the negative electrode negative-electrode layer;

a discharge circuit printed in the electrolyte layer that electrically balances charged conditions of adjacent bipolar electrodes;

a first pair of conductive bodies located in the electrolyte layer, wherein one <u>body</u> of the first pair is in contact with one side of the discharge circuit and another <u>body</u> of the first pair is in contact with an opposing side of the discharge circuit; and

a second pair of conductive bodies, wherein one <u>body</u> of the second pair of conductive bodies is in the negative-electrode layer and another <u>body</u> of the second pair is in the positive-electrode layer such that each <u>body</u> of the second pair of conductive bodies is vertically aligned with a different-ene <u>body</u> of the first pair of conductive bodies when the negative-electrode layer, the electrolyte layer and the positive-electrode layer are stacked.

14. A vehicle comprising:

a controller; and

an assembled bipolar battery comprising a plurality of bipolar batter cells, wherein each bipolar battery cell comprises a plurality of electric cells, each electric cell comprising:

a bipolar electrode including a collector having a positive-electrode layer on one surface and a negative-electrode layer on an opposing surface;

an electrolyte layer that exchanges ions between the positive-electrode layer and the negative electrode negative-electrode layer;

a discharge circuit printed <u>in</u> the electrolyte layer that electrically balances charged conditions of adjacent bipolar electrodes;

a first pair of conductive bodies located in the electrolyte layer, wherein one <u>body</u>
of the first pair is in contact with one side of the discharge circuit and another <u>body</u> of the first
pair is in contact with an opposing side of the discharge circuit; and

a second pair of conductive bodies, wherein one <u>body</u> of the second pair of conductive bodies is in the negative-electrode layer and another <u>body</u> of the second pair is in the positive-electrode layer such that each <u>body</u> of the second pair of conductive bodies is vertically aligned with a different-ene <u>body</u> of the first pair of conductive bodies when the negative-electrode layer, the electrolyte layer and the positive-electrode layer are stacked.

15. A method of forming a bipolar battery cell, each bipolar battery cell comprising a plurality of electric cells, each electrical cell comprising a bipolar electrode, the method comprising;

stacking a collector having a positive-electrode layer with a conductive body on one surface of the collector and a negative-electrode layer having another conductive body on an Application/Control Number: 10/573,462

Art Unit: 1725

opposing surface of the collector, with an electrolyte layer that exchanges ions between the positive-electrode layer and the negative electrode the negative-electrode layer, the electrolyte having a discharge circuit therein, wherein the discharge circuit is contacted on opposing sides with additional conductive bodies in the electrolyte layer and electrically balances charged conditions of adjacent bipolar electrodes to form each electric cell of the plurality of electric cells; and

wherein stacking the collector with the positive-electrode layer and negative-electrode layer with the electrolyte layer occurs such that each <u>body</u> of the conductive bodies in the electrolyte aligns with a different conductive body in adjacent layers.

17. A bipolar battery cell comprising;

a plurality of electric cells, each cell comprising:

a bipolar electrode including a collector having a positive-electrode layer on one surface and a negative-electrode layer on an opposing surface;

means for exchanging ions between the positive-electrode layer and the negativeelectrode layer;

means for balancing the bipolar battery cell by electrically balancing charge conditions of adjacent bipolar electrodes, the means for balancing located on the electrolyte layer printed in the means for exchanging ions;

a first pair of conductive bodies located in the electrolyte layer, wherein each of the first pair is in contact with the means for balancing wherein one body of the first pair is in contact with one side of the means for balancing and another body of the first pair is in contact with an opposing side of the means for balancing; and Application/Control Number: 10/573,462 Page 6

Art Unit: 1725

a second pair of conductive bodies, wherein one body of the second pair of

conductive bodies is in the negative-electrode layer and another \underline{body} is in the positive-electrode

layer such that each \underline{body} of the second pair is vertically aligned with a different-one \underline{body} of the

first pair of conductive bodies when the negative-electrode layer, the electrolyte layer the means

for exchanging ions and the positive-electrode layer are stacked.

21. The assembled battery of claim 13, wherein the laminated bipolar electrode further

includes an insulant printed on an outermost periphery of each of the positive-electrode layer, the

negative-electrode layer and the electrolyte layer.

22. The vehicle of claim 14, wherein each electric cell further comprises an insulant

printed on an outermost periphery of each of the positive-electrode layer, the negative-electrode

layer and the electrolyte layer.

23. The method of claim 15, further comprising providing an insulant on an outermost

periphery of each of the positive-electrode layer, the negative-electrode layer and $\underline{\text{the}}$ electrolyte

layer prior to stacking.

24. The bipolar battery cell of claim 17, wherein each electric cell further comprises an

insulant printed on an outermost periphery of each of the positive-electrode layer, the negative-

electrode layer and-electrolyte layer the means for exchanging ions.

Reasons for Allowance

Claims 1, 3-15, 17, 18 and 21-24 are allowed.

The following is an examiner's statement of reasons for allowance:

The closet prior art of record is Nagayama et al. (U.S. 2005/0208347 A1).

Application/Control Number: 10/573,462

Art Unit: 1725

Nagayama et al. discloses a bipolar battery cell (10) comprising a plurality of electric cells (20), each electric cell comprising a bipolar electrode (30), including a collector (22) having a positive-electrode layer (28) on one surface and a negative-electrode layer (26) on an opposing surface (Fig. 3, [0043]); an electrolyte layer (27) that exchanges ions between the positiveelectrode layer (28) and the negative electrode layer (26, Fig. 4); a discharge circuit (32 and 33) printed in the electrolyte layer (27) within each electric cell (40, Fig. 4), the discharge circuit (32 and 33) configured within each bipolar electrode (3) to electrically balance charge conditions ([0037]-[0039]) of adjacent electric cells (40); a first pair of conductive bodies (34) located in the electrolyte layer (27), wherein one of the first pair (34) is in contact with one side of the discharge circuit (32 and 33, Fig. 4) and another of the first pair (34) is in contact with an opposing side of the discharge circuit (32 and 33, Fig. 4); and a second conductive body (34), wherein the second conductive body is in the negative-electrode layer (26, Fig. 4) such that the second conductive body (34) is vertically aligned with one of the first pair of conductive bodies (34) when the negative-electrode layer (26), the electrolyte layer (27) and the positive-electrode layer (28, Fig. 4) are stacked.

Nagayama et al. does not disclose, teach or suggest the following distinguishing feature(s):

An electric cell comprising a second pair of conductive bodies wherein one of the second pair is in the positive electrode layer such that each of the second pair of conductive bodies is vertically aligned with a different one of the first pair of conductive bodies when the negativeelectrode layer, the electrolyte layer and the positive-electrode layer are stacked. Art Unit: 1725

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sean P. Cullen, Ph.D. whose telephone number is (571)270-1251. The examiner can normally be reached on Monday thru Thursday 6:30 a.m. to 5:00 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Basia Ridley can be reached on 571-272-1453. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free), If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/S. P. C./ Examiner, Art Unit 1725

> /Basia Ridley/ Supervisory Patent Examiner, Art Unit 1725